AUTHOR INDEX

Arnold, C. Jr.
The Synthesis and Characterization of New Polyether Based Soluble Polyurethanes, p. 77

Asai, Kiyotsugu
Polyurethane Emulsion for Protective Coating of Glass Bottles, p. 26

Ball, George L. III
Bagasse-Fiber-Reinforced Composites, p. 46

Bechara, I.S.
RIM Catalysis and Coating Interaction, p. 205

Cimerol, J.J.
Methyl Glucoside Based Rigid Urethane Polyols and Foam, p. 24

Cohen, S.C.
New Opportunities for MDI Isocyanates in Flexible Polyurethane Foams, p. 235

Crosby, J.M.
Melt Processible Fluoropolymer Composites, p. 149

Fuzesi, S.
Methyl Glucoside Based Rigid Urethane Polyols and Foam, p. 224

Galla, E.A.
RIM Catalysis and Coating Interaction, p. 205

Haggarty, T.I.
New Opportunities for MDI Isocyanates in Flexible Polyurethane Foams, p. 235

Hilado, Carlos J.
Reproducibility of Polycarbonate Reference Material, p. 19 Fire Safety of Wire and Cable Materials: A Bibliography, p. 37

Effect of Temperature on Relative Flammability and Toxicity of Plastics, p. 41

Integration of Temperature Effects in Toxicity of Off-Gases From Plastics, p. 108

Fire Safety of Wire and Cable Materials: A Bibliography. Part 2, p. 130

Polymer Structure and Relative Toxicity of Off-Gases, p. 177

Hurst, Antony T.
Enhanced Toughness Through Urethane Thickened SAC, p. 156

Huttlinger, Patricia A.
Reproducibility of Polycarbonate Reference Material, p. 19

Fire Safety of Wire and Cable Materials: A Bibliography, p. 37

Effect of Temperature on Relative Flammability and Toxicity of Plastics, p. 41

Integration of Temperature Effects in Toxicity of Off-Gases From Plastics, p. 108

Fire Safety of Wire and Cable Materials: A Bibliography. Part 2, p. 130

Polymer Structure and Relative Toxicity of Off-Gases, p. 177

AUTHOR INDEX

Arnold, C. Jr.
The Synthesis and Characterization of New Polyether Based Soluble Polyurethanes, p. 77

Asai, Kiyotsugu
Polyurethane Emulsion for Protective Coating of Glass Bottles, p. 26

Ball, George L. III
Bagasse-Fiber-Reinforced Composites, p. 46

Bechara, I.S.
RIM Catalysis and Coating Interaction, p. 205

Cimerol, J.J.
Methyl Glucoside Based Rigid Urethane Polyols and Foam, p. 24

Cohen, S.C.
New Opportunities for MDI Isocyanates in Flexible Polyurethane Foams, p. 235

Crosby, J.M.
Melt Processible Fluoropolymer Composites, p. 149

Fuzesi, S.
Methyl Glucoside Based Rigid Urethane Polyols and Foam, p. 224

Galla, E.A.
RIM Catalysis and Coating Interaction, p. 205

Haggarty, T.I.
New Opportunities for MDI Isocyanates in Flexible Polyurethane Foams, p. 235

Hilado, Carlos J.
Reproducibility of Polycarbonate Reference Material, p. 19 Fire Safety of Wire and Cable Materials: A Bibliography, p. 37

Effect of Temperature on Relative Flammability and Toxicity of Plastics, p. 41

Integration of Temperature Effects in Toxicity of Off-Gases From Plastics, p. 108

Fire Safety of Wire and Cable Materials: A Bibliography. Part 2, p. 130

Polymer Structure and Relative Toxicity of Off-Gases, p. 177

Hurst, Antony T.
Enhanced Toughness Through Urethane Thickened SAC, p. 156

Huttlinger, Patricia A.
Reproducibility of Polycarbonate Reference Material, p. 19

Fire Safety of Wire and Cable Materials: A Bibliography, p. 37

Effect of Temperature on Relative Flammability and Toxicity of Plastics, p. 41

Integration of Temperature Effects in Toxicity of Off-Gases From Plastics, p. 108

Fire Safety of Wire and Cable Materials: A Bibliography. Part 2, p. 130

Polymer Structure and Relative Toxicity of Off-Gases, p. 177

Ichii, Ryoji
Polyurethane Emulsion for Protective Coating of Glass Bottles, p. 26

Kallaur, Michael
"Tough" SMC Resins, p. 118

Kawabata, Toshihiko
Polyurethane Emulsion for Protective Coating oif Glass Bottles, p. 26

Kloss, C.F.
New Opportunities for MDI Isocyanates in Flexible Polyurethane Foams, p. 235

Lequin, Doris S.
Choosing Liquid Encapsulants for Electronics, p. 3

Malguarnera, S.C.
Strained Dependence of the Dynamic Properties of Filled Elastomers, p. 139

Martin, R.E.
Strain Dependence of the Dynamic Properties of Filled Elastomers, p. 139

Mascioli, R.L.
RIM Catalysis and Coating Interaction, p. 205

Mead, J.W.
The Synthesis and Characterization of New Polyether Based Soluble Polyurethanes, p. 77

Miley, John W.
Reactive Polymeric Colorants for Polyurethanes, p. 246

Moore, Patrick D.
Reactive Polymeric Colorants for Polyurethanes, p. 246

Reitz, James A., III
Enhanced Toughness Through Urethane Thickened SAC, p. 156

Salyer, Ival O.
Bagasse-Fiber-Reinforced Composites, p. 46

Fire Resistance of Polystyrenes and a Post Fabrication Crosslinking Method, p. 90

Schewndeman, James L.
Bagasse-Fiber-Reinforced Composites, p. 46

Smith, Stewart A.
Enhanced Toughness Through Urethane Urethane Thickened SAC, p. 156

Talley, K.L.
Melt Processible Fluoropolymer Composites, p. 149

Theberge, John E.
Plastic-on-Plastic Tribological Properties of Thermoplastic Composites, p. 97

Melt Processible Fluoropolymer Composites, p. 149

Optimizing Properties of Filled Compounds, p. 197

Usmani, Arthur M.
Bagasse-Fiber-Reinforced Composites, p. 46

Fire Resistance of Polystyrenes and A Post Fabrication Crosslinking Method, p. 90

Diallyl Phthalate/Epoxy Interpenetrating Polymer Network Encapsulating Material, p. 170

Qpplications of Usmani Modified Kepner-Tregoe Analysis, p. 183

Voeks, Steven L.
"Tough" SMC Resins, p. 118

Wolverton, Mark P.
Plastic-on-Plastic Tribological Properties of Thermoplastic Composites, p. 97

SUBJECT INDEX

Bagasse, as a reinforcing agent, p. 46

Bottle coating, p. 26

Building materials, p. 46

CGI, p. 183

Colorants, for polyurethanes, p. 246

Composites, bagasse reinforced, p. 46

Compression molding, p. 118

Crazing resistance, p. 118

DAP/Epoxy resins, p. 170

Dynamic properties, filled elastomers, p. 139

Electronic assemblies, p. 170

Encapsulation, p. 170

IPN, p. 170

Light emitting diode, p. 170

Elastomers, p. 139

Encapsulants, p. 3

Epoxy resins, p. 3

Fluoropolymer composites, p. 149

Increased impact, p. 118

Lower modulus, p. 118

MDI, in flexible polyurethanes, p. 235

Melt processible, fluoro-composites, p. 149

Methyl glucoside foam, p. 224

Nylon 6/6, wear factors, p. 97

Optimizing properties, filled compounds, p. 197

Phenolic resins, p. 46

Plastics, toxicity and flammability, p. 41

Polycarbonate, as a reference material, p. 19

Polycarbonate, wear factors, p. 97

Polystyrene, fire resistance, p. 90

Polyurethane coating, for bottles, p. 26

Polyurethanes, p. 77

Post fabrication crosslinking, polystyrene, p. 90

Remarkable encapsulant, p. 77

Rigid polyols, methyl glucoside, p. 224

RIM catalysis, p. 205

RIM coatings, p. 205

Roofing research, p. 183

Sheet molding compound, p. 118

Thermomechanical properties, p. 77

"Tough" low profile SMC resins, p. 118

Toxicity, plastic off-gases, p. 108, p. 177

Transfer of technology, developing countries, p. 183

Unsaturated polyester resins, p. 118

Urethane-thickened SMC, p. 156

Wear factors, plastics, p. 97

Wire/cable safety, a bibliography, p. 37, p. 130

U.S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Required by 39 U.S.C. 3685)

1. TITLE OF PUBLICATION	A. PUBLICATION NO.	2. DATE OF FILING
Journal of Elastomers & Plastics	0 0 9 5—2 4 4 3	October 1, 1981
3. FREQUENCY OF ISSUE	**A. NO. OF ISSUES PUBLISHED ANNUALLY**	**B. ANNUAL SUBSCRIPTION PRICE**
Quarterly	Four	$80.00

4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION *(Street, City, County, State and ZIP Code) (Not printers)*

265 Post Road West, Westport, Fairfield County, Connecticut 06880

5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS *(Not printers)*

265 Post Road West, Westport, Fairfield County, Connecticut 06880

6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR *(This item MUST NOT be blank)*

PUBLISHER *(Name and Complete Mailing Address)*

Melvyn A. Kohudic, 265 Post Road West, Westport, Connecticut 06880

EDITOR *(Name and Complete Mailing Address)*

Dr. Carlos J. Hilado, 1457 Firebird Way, Sunnyvale, California 94087

MANAGING EDITOR *(Name and Complete Mailing Address)*

None

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed)*

FULL NAME	COMPLETE MAILING ADDRESS
Technomic Publishing Company	265 Post Road West, Westport, CT 06880
Melvyn A. Kohudic	265 Post Road West, Westport, CT 06880

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

FULL NAME	COMPLETE MAILING ADDRESS
Security Holders Over 1%: M. A. Kohudic	265 Post Road West, Westport, Ct 06880
Bondholders or Mortgages: None	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 411.3, DMM only)*
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes: *(Check one)*

☐ (1) HAS NOT CHANGED DURING PRECEDING 12 MONTHS ☐ (2) HAS CHANGED DURING PRECEDING 12 MONTHS *(If changed, publisher must submit explanation of change with this statement.)*

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES *(Net Press Run)*	700	700
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	0	0
2. MAIL SUBSCRIPTION	381	375
C. TOTAL PAID CIRCULATION *(Sum of 10B1 and 10B2)*	381	375
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	20	20
E. TOTAL DISTRIBUTION *(Sum of C and D)*	401	395
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	299	305
2. RETURN FROM NEWS AGENTS	0	0
G. TOTAL *(Sum of E, F1 and 2 - should equal net press run shown in A)*	700	700

11. I certify that the statements made by me above are correct and complete

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER

Melvyn A. Kohudic

PS Form June 1980 3526 (Page 1) *(See instruction on reverse)*